



Gera Leuchten

Pendant Lamp 10x40 V2x900 RC

Oberfläche

- aluminum
- stainless Steel
- black
- black brown

Technical details

Country of Manufacture	 Germany
Manufacturer	Gera Leuchten
protection	IP20
Scope of delivery	LED
material	aluminum
height adjustment	height determinable
dimming	with remote control
Wattage	17 W
LED	inclusive
Luminous flux in lm	2,520
Color temperature in Kelvin	2,700 - 4,000 adjustable
bulb exchange	on site itself
total height	20 - 250 cm
Dimensions	H 4 cm B 1 cm L 90 cm

Description

The pendant lamp 10x40 V2x900 RC by the German manufacturer Gera is operated with an integrated LED. This LED pendant lamp is available in the finishes aluminium-coloured, stainless steel-coloured and black. The pendant lamp made of aluminium is 90 cm long, 4 cm high and only 1 cm wide. Two opposing light outlets upwards and downwards double your brightness and expand the effect on the room. This elongated pendant lamp made of aluminium has a 58 cm long, 3.4 cm wide and 3.4 cm high ceiling suspension. The lamp connection is located directly on the connection terminal. The LED pendant lamp with upright profile cross-section emits its light brightly and glare-free upwards and downwards. The LED low-voltage technology used in this lamp allows "cable-free" suspension from fine, current-conducting steel cables.

The Gera Leuchten pendant lamp 10x40 V2x900 RC is adjustable in total height from 20 cm to 250 cm.

This pendant lamp is supplied with a radio remote control. The lamp can be switched on and off via the existing light switch as well as via the remote control. The brightness of the lamp can also be regulated via the remote control. Even at full light output, the colour temperature can be adjusted from 2,700 Kelvin extra warm white to 4,000 Kelvin via the remote control supplied. The last settings selected are saved. If necessary, the integrated LED can be changed by the user. The Gera Leuchten pendant lamp 10x40 V2x900 RC is also available in other lengths, as well as a version with sensor dimmer (touch-free switching and dimming).