

#### **Technical details**

País de la Fabricación fabricante protección Volumen de suministro material angulo del rayo Color del cable Potencia en vatios

LED Indice

Indice de reproduccion cromatica Dimensiones del soporte de la lámpara

cabeza del alumbrado masa

reemplazo de la bombilla:

**Dimensions** 

Alemania
LDM
IP20
LED
aluminio, latón
15, 25 o 43 grados
transparente

5,8 W incluyendo >90

20 cm

Longitud 27 cm, 2 cm en el fabricante / en la fabrica H 147 cm

# LDM

## **Eccoled Flamingo Terra**

#### Oberfläche

- aluminio mate
- aluminio pulido
- negro
- bronce
- blanco

#### Version

- regulador en la linea de alimentacion
- interruptor de encendido/apagado en la linea de suministro
- dimmers sensor

#### Farbtemperatur in Kelvin

- 2.700 extra blanco cálido
- 3.500 blanco

### Descripción

The LDM Eccoled Flamingo Terra is a floor lamp with an adjustable lamp head. The lamp head can be adjusted in height along the lamp rod. It can be rotated by 350 degrees around the axis of the joint. In addition, the joint of the lamp head can be rotated by 350 degrees around the lamp rod and swivelled by 90 degrees. The floor lamp has a height of 146.5 cm.

The lamp head of the Eccoled Flamingo floor lamp is available in the surfaces aluminum matt, aluminum polished, bronze, white matt and black matt. The joint of the lamp head, the height adjustment and the lamp rod are always chrome-plated in brass. The lamp base of the white and black lamp is in the corresponding finish.

The Eccoled Flamingo Terra is operated with an integrated LED, which is available with a colour temperature of 2,700 Kelvin extra warm white or 3,500 Kelvin white. The floor lamp is offered in three versions: with on/off switch on the supply line, with dimmer on the supply line or with sensor dimmer. The on/off switch on the supply line is a foot switch. The foot dimmer on the supply line is used to switch and dim the lamp. In the version with sensor dimmer, the lamp head can be switched and dimmed contactlessly with a sensor on the side of the lamp head. The lamp head is switched on or off with a wiping hand movement in the sensor area. To dim the light, the hand is held directly in the sensor area for a longer period of time.

The Eccoled Flamingo Terra is supplied with three lens attachments for the lamp head. With these, the beam angle of the lamp head can be changed between 15, 25 or 43 degrees. With a larger beam angle, the light is distributed over a larger area. With a beam angle of 15 or 25 degrees, the light cone becomes narrower, with a beam angle of 43 degrees, it becomes wider.