



maggy | mag1-G2-dim

MAGNETLEUCHE

Magnetische Wandleuchte
* mit farbigem Textilkabel




Foto: mawa

Design: Kressel + Schelle / Engineering: Marco Schölzel, mawa

Leistungsvarianten in W ^{LED}	Dimmungen Matchcode	Lichtfarben in Kelvin / LED-Lichtstrom in Lumen ^{LED}
8 W	dimmbar über Schnurschalter (Memory-Funktion)	2700 K / 614 lm ^{LED}

Ra
90


dim

IP20

maggy | mag1-G2-dim

MAGNETLEUCHE

Dimensionen:



Gehäuse

- ☐ weiß matt (RAL 9016)
- ☐ schwarz matt (RAL 9005)
- ☐ grau matt

Kabel

- ☐ mint
- ☐ rosé
- ☐ orange
- ☐ grau

Wandplatte

- ☐ weiß matt (RAL 9016)

Gehäuse: Aluminium pulverbeschichtet
Kopf: 355° drehbar
Kabel: Textilkabel 1,8 m (exklusive Leuchte)

LED-Modul: 1 × HV LED, 8 W, Ra 90
Lebensdauer: HV-LED: > 36.000h
Betriebsbereich: AC 220V–240V / 50Hz–60Hz

Standard: [mag1-wp-kp](#) Wandplatte mit Klebepad in weiß matt (RAL 9016) im Lieferumfang enthalten
Option: [mag1-wp-bo](#) Wandplatte mit Bohrung in weiß matt (RAL 9016) auf Anfrage erhältlich

Schutzklasse: I | **Schutzart:** IP20 | **Gewicht:** 980 g



maggy | mag1-G2-dim

MAGNETIC LIGHT

Magnetic wall light
• with coloured textile cable




Foto: mawa

Design: Kressel + Schelle / Engineering: Marco Schölzel, mawa

Performance class in W ^{LED}	Dimmingen Matchcode	Light colour in Kelvin / LED luminous flux in Lumen ^{LED}
8 W	dimmable via cord dimmer (Memory function)	2700 K / 614 lm ^{LED}

Ra
90


dim

IP20

maggy | mag1-G2-dim

MAGNETIC LIGHT

Dimensions:



Housing

- ☐ white matt (RAL 9016)
- ☐ black matt (RAL 9005)
- ☐ grey matt

Cable

- ☐ mint
- ☐ rosé
- ☐ orange
- ☐ grey

Wall plate

- ☐ white matt (RAL 9016)

Housing: Aluminium housing powder-coated

Light head: 355° rotatable

Cable: textile cable 1,8 m (excluding light)

LED module: 1 × HV LED, 8 W, Ra 90

Life time LED: HV-LED: > 36.000h

Operating area: AC 220V–240V / 50Hz–60Hz

Standard: mag1-wp-kp wall plate with adhesive tape in white matt (RAL 9016) included in delivery

Option: mag1-wp-bo wall plate with bores in white matt (RAL 9016) in request

Protection class: I | **Degree of protection:** IP20 | **Weight:** 980 g